



MATERIAL SAFETY DATA SHEET

Rubex™ 60 Series

Revision Date: Dec 12, 2006

1. Product and Company Identification	
<p><u>Supplier</u> Rubex, Inc. 3709 Grove City Road Grove City, OH 43123</p> <p>Company Contact: EHS Department Telephone Number: 614-875-6343 Fax Number: 614-875-9041 Web Site: www.rubex-us.com</p>	<p><u>Manufacturer</u> Rubex, Inc. 3709 Grove City Road Grove City, OH 43123</p> <p>Company Contact: EHS Department Telephone Number: 614-875-6343 Fax Number: 614-875-9041 Web Site: www.rubex-us.com</p>
<p><u>Supplier Emergency Contacts & Phone Number</u> CHEMTREC: 800-933-9300 INTERNATIONAL: 704-527-3887</p>	<p><u>Manufacturer Emergency Contacts & Phone Number</u> CHEMTREC: 800-933-9300 INTERNATIONAL: 704-527-3887</p>
<p>Issue Date: 01/01/2007 Product Name: Rubex™ 60 CAS Number: Not Established Chemical Family: Butyl Sealant Chemical Formula: Complex Mixture</p>	

2. Composition / Information On Ingredients		
Ingredient Name	CAS Number	% Weight
Slag Wool	Unknown	30-40%
Kaolin	1332-58-7	25-35%
Aluminum Silicate	1327-36-2	1-8%
Carbon Black	1333-86-4	1-8%
Silica	7631-86-9	1-8%
Aluminum Stearate	637-12-7	1-8%
Quartz Silica	14808-60-7	1-8%

3. Hazards Identification	
<p>Eye Hazards: Skin Hazards: Ingestion Hazards: Inhalation Hazards:</p>	<p>May Cause Mechanical Irritation May Cause Slight Skin Irritation May Cause Slight Discomfort No Inhalation Effects Known or Reported</p>

4. First Aid Measures	
<p>Eye: Skin: Ingestion: Inhalation:</p>	<p>Rinse Eyes Thoroughly With Water For At Least 15 Minutes - Consult Physician Wash With Soap And Water – If Symptoms Persist Consult Physician Do Not Induce Vomiting – If Discomfort Persists Consult Physician Remove To Fresh Air – Consult Physician</p>

5. Fire Fighting Measures	
Flash Point/Method:	Not Available
Fire and Explosion Hazard:	None Known
Extinguishing Media:	Dry Chemical / Foam – Carbon Dioxide – Water
Fire Fighting Procedures:	Use Acceptable Fire Fighting Techniques – Wear Full Firefighting Protective Clothing – Wear Self Contained Breathing Apparatus

6. Accidental Release Measures
Collect Spilled Material – Place In Appropriate Container For Disposal

7. Handling And Storage
Store In Cool Dry Location – Handle In Compliance With Common Hygienic Practices – Keep Out Of Reach Of Children

8. Exposure Controls / Personal Protection	
Eye / Face Protection:	Wear Safety Glasses / Chemical Goggles
Skin Protection:	Wear Gloves / Clothing To Avoid Skin Contact
Other / General Protection:	Wash Hands / Skin Thoroughly After Contact
Ingredients	Exposure Limits
Calcium Carbonate (Limestone):	ACGIH TLV: 10.0 mg/m ³ OSHA PEL: 3.0 mg/m ³
Carbon Black:	ACGIH TLV: 3.5 mg/m ³ OSHA PEL: 3.5 mg/m ³
Talc:	ACGIH TLV: 2.0 mg/m ³ OSHA PEL: 5.0 mg/m ³
Amorphous Silica:	ACGIH TLV: 3.0 mg/m ³ OSHA PEL: 5.0 mg/m ³
Titanium Dioxide:	ACGIH TLV: 10.0 mg/m ³ OSHA PEL: 5.0 mg/m ³
Crystalline Silica:	ACGIH TLV: 0.5 mg/m ³ OSHA PEL: 5.0 mg/m ³

9. Physical and Chemical Properties	
Color:	Black, Gray, Tan, Off-White, White
Form:	Tacky Semi Solid
Odor:	None
pH:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Freezing Point:	N/A
Melting Point:	N/A
Boiling Point:	N/A
Evaporation Rate:	N/A

Solubility: Specific Gravity: % Volatile Weight	Insoluble 1.35 - 1.65 0%
---	--------------------------------

10. Reactivity / Stability

Stability: Incompatible Materials: Hazardous Polymerization: Hazardous Decomposition:	Stable Under Normal Storage, Handling, And Use Oxidizing Agents N/A Upon Combustion – Carbon Monoxide, Carbon Dioxide, and Hydrocarbons
--	--

11. Toxicological Information

Conditions Aggravated:	None Known
------------------------	------------

12. Ecological Information

No Data Available

13. Disposal Consideration

Dispose In Accordance With Federal, State, & Local Environmental Regulations
--

14. Transportation / Shipping Data

Not DOT Regulated

15. Regulatory Information

No Data Available

16. Other Information

<u>HMIS Rating</u> Health: Fire: Reactivity: PPE:	1 1 0 B
---	------------------

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Rubex, Inc. believes to be reliable as of date hereof. Since conditions of use are outside our control, we make no warranties, expressed or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe on any patents.